




Linear AC Direct 56 LED

Module Description

- Designed for retrofit applications
- Available in CCTs from 2000K to 6500K
- AC direct module with no need for an additional ballast
- UL recognized and ROHS compliant module
- Highly efficient Nichia 757 LEDs
- Designed for 2 feet fixtures



| LED | | PCB | | Applications |
|-------------------|---------------|-----------|-----------------|--------------|
| Brand | Nichia | Part No. | AC120-23-52-A | |
| Part Number | 757GT Series | Material | FR4 | |
| Number of LED | 52 LEDs | Size | 584.2 X 23.0 mm | |
| Color Temperature | 2000-6500 CCT | Thickness | 1.6 mm | |

- Linear lights
- Architectural Lighting
- Retrofit projects
- Small space fixtures
- Custom Lighting

| DRIVER | | PERFORMANCE @ $T_A = 25\text{ }^\circ\text{C}$ | |
|---------------|------------------|--|--|
| Input Voltage | 120 VAC | Lumen Output | 5000K CCT at 20mA, 565 Lumens 5000K CCT at 50mA, 1366 Lumens 5000K CCT at 100mA, 2571 Lumens |
| Input Current | 20 – 100mA | Luminous Efficiency | 206 Lm/W at 20mA 189 Lm/W at 50mA 166 Lm/W at 100mA |
| Type | Constant Current | Board Wattage | 4.4 W at 20 mA 8 W at 50 mA 14 W at 100 mA |

