


High Lumen Ring 32 LED

Module Code: G032SA116116



Module Description

- Designed for a wide range of high lumen applications
- Suitable for retrofit projects
- Available in stock for 2400K-6500K CCT
- Maximum efficiency and better heat dissipation
- Quick release push pin connectors on board
- Rated for 350 - 1400 mA constant current
- UL recognized module and ROHS components

LED		PCB		Applications
Brand	Samsung / Nichia	Part No.	R116N32-A	
Part Number	351 / 219	Material	MCPCB	
Number of LED	32	Size	Outer diameter 116 mm	
Color Temperature	2400 - 6500K	Thickness	1.6 mm	

DRIVER		PERFORMANCE	
Input Voltage	86 – 106 VDC	Lumen Output	5000K CCT at 350 mA, 5250 Lumens 5000K CCT at 700 mA, 10200 Lumens 5000K CCT at 1050 mA, 14850 Lumens 5000K CCT at 1400 mA, 18500 Lumens
Input Current	350 - 1400 mA	Luminous Efficiency	165 Lm/W at 350 mA 160 Lm/W at 700 mA 155 Lm/W at 1050 mA 145 Lm/W at 1400 mA
Type	Constant Current	Board Wattage	32 W at 350 mA 64 W at 700 mA 96 W at 1050 mA 128 W at 1400 mA

